

Centering, Anaphora Resolution, and Discourse Structure

Marilyn A. Walker
ATT Labs Research
180 Park Ave.
Florham Park, N.J. 07932
walker@research.att.com

Abstract

Centering was formulated as a model of the relationship between attentional state, the form of referring expressions, and the coherence of an utterance *within a discourse segment* (Grosz, Joshi and Weinstein, 1986; Grosz, Joshi and Weinstein, 1995). In this chapter, I argue that the restriction of centering to operating within a discourse segment should be abandoned in order to integrate centering with a model of global discourse structure. The within-segment restriction causes three problems. The first problem is that centers are often continued over discourse segment boundaries with pronominal referring expressions whose form is identical to those that occur within a discourse segment. The second problem is that recent work has shown that listeners perceive segment boundaries at various levels of granularity. If centering models a universal processing phenomenon, it is implausible that each listener is using a different centering algorithm. The third issue is that even for utterances within a discourse segment, there are strong contrasts between utterances whose adjacent utterance within a segment is hierarchically recent and those whose adjacent utterance within a segment is linearly recent. This chapter argues that these problems can be eliminated by replacing Grosz and Sidner's stack model of attentional state with an alternate model, the cache model. I show how the cache model is easily integrated with the centering algorithm, and provide several types of data from naturally occurring discourses that support the proposed integrated model. Future work should provide additional support for these claims with an examination of a larger corpus of naturally occurring discourses.

1 Introduction

Centering is formulated as *a theory that relates focus of attention, choice of referring expression, and perceived coherence of utterances, within a discourse segment*

[Grosz *et al.*, 1995], p. 204. In this chapter, I argue that the restriction of centering to utterances within the same discourse segment poses three problems for the theory that can be eliminated by abandoning this restriction, and integrating centering with the cache model of attentional state proposed in [Walker, 1996].

The first problem is that centers are often continued over discourse segment boundaries with pronominal referring expressions whose form is identical to those that occur within a discourse segment. For example, consider discourse A, a naturally occurring discourse excerpt from the *Pear Stories* [Chafe, 1980; Passonneau, 1995]:

- (A) (29) and he_i 's going to take a pear or two, and then.. go on his way
(30) um but *the little boy*_i comes,
(31) and uh he_i doesn't want just a pear,
(32) *he*_i wants a whole basket.
(33) So *he*_i puts the bicycle down,
(34) and he_i ...

In an experiment where naive subjects coded discourses for segment structure [Passonneau, 1995], a majority of subjects placed a discourse segment boundary between utterances (32) and (33). If utterance (32) and (33) were subjected to a centering analysis (cf. Walker, Joshi and Prince, this volume), (33) realizes a CONTINUE transition, indicating that utterance (33) is highly coherent in the context of utterance (32). It seems implausible that a different process than centering would be required to explain the relationship between utterances (32) and (33), simply because these utterances span a discourse segment boundary.

The second problem is that listeners perceive segment boundaries at various levels of granularity [Passonneau and Litman, 1993; Hearst, 1994; Flammia and Zue, 1995; Hirschberg and Nakatani, 1996], and some segment boundaries are 'fuzzy' [Passonneau and Litman, 1996]. For example in discourse A above, 5 out of 7 subjects placed a segment boundary between utterances 29 and 30, while 4 out of 7 subjects placed a segment boundary between utterances 32 and 33 [Passonneau, 1995]. If centering models a universal processing phenomenon, it is implausible that the subjects that place a segment boundary in these locations **don't** use centering to process the referring expressions in the discourse, while the subjects who didn't place a segment boundary **do** use centering for discourse processing.

The third issue is that even for utterances within a discourse segment, there are strong contrasts between utterances whose adjacent utterance within a segment is hierarchically recent and those whose adjacent utterance within a segment is linearly recent. Briefly, an utterance U_i is linearly recent for a subsequent utterance U_{i+j} if U_i occurred within the last few utterances. An utterance U_i is hierarchically recent for a subsequent utterance U_{i+j} if U_{i+j} can become adjacent to U_i as a result of Grosz and Sidner's stack mechanism [Grosz and Sidner, 1986; Walker, 1996]. For example consider the contrast between discourses B and C below, where C is a




Figure 1: The discourse structure of Dialogue B.

constructed variation of B [Pollack *et al.*, 1982]:¹

- (B) (4) C: Ok Harry, I have a problem that uh my - with today's economy *my daughter is working*,
 (5) H: I missed your name.
 (6) C: Hank.
 (7) H: Go ahead Hank
 (8a) C: *as well as her uh husband*.
 (8b) They have a child.
 (8c) and they bring the child to us every day for babysitting.
- (C) (4) C: Ok Harry, I have a problem that uh my - with today's economy *my daughter is working*,
 (5) H: I missed your name.
 (6) C: Hank.
 H: I'm sorry, I can't hear you.
 C: Hank.
 H: Is that H A N K?
 C: Yes.
 (7) H: Go ahead Hank.
 (8a) C: *as well as her uh husband*.
 (8b) They have a child.
 (8c) and they bring the child to us every day for babysitting.

The structure of Dialogue B is represented schematically in Figure 1. In utterance 5 of dialogue B, the talk show host, H, interrupts the caller C to ask for his name. In utterance 8a, the caller C continues the problem statement that he began with utterance 4 as though utterance 4 had just been said, and so utterance 8a is part of the same discourse segment as utterance 4. The structure of Dialogue C is identical to that of B.

¹This dialogue is from a corpus of naturally occurring financial advice dialogues that were originally taped from a live radio broadcast and transcribed by Martha Pollack and Julia Hirschberg. I am grateful to Julia Hirschberg for providing me with audio tapes of these dialogues.

But if utterance 8a is in the same segment as utterance 4 in both dialogue B and C, there is an unexpected difference in the coherence of the utterance. The anaphoric referring expression, *her husband* is clearly more difficult to interpret in C. Thus hierarchical recency, as operationalized by the stack model, does not predict when previous centers are accessible.

I will argue that it is possible to integrate centering with a model of global discourse structure and simultaneously address these problems by replacing Grosz and Sidner's stack model of global focus with the cache model of attention state proposed in [Walker, 1996].² In the resulting integrated model:

1. Centers are elements of the cache and the cache model mediates the accessibility of centers.
2. Centers are carried over segment boundaries by default.
3. Processing difficulties are predicted for the interpretation of centers whose co-specifiers are not linearly recent, as in the case of Dialogue C.
4. Granularity of discourse segmentation has no effect on the model.

The structure of the chapter is as follows. Section 2 presents the proposed cache model, and section 3 defines a version of the centering algorithm [Brennan *et al.*, 1987] that is integrated with the cache model. Then, three types of evidence are used to support the proposed integrated model. First, section 4.1 presents evidence that the cache model can handle 'focus pops', a phenomenon that was believed to provide strong support for Grosz and Sidner's stack model. Then section 4.2 discuss quantitative evidence showing that centers are frequently carried over segment boundaries. Next, section 4.3 discuss a number of naturally occurring examples that illustrate that the form in which centers are realized across discourse segment boundaries is not determined by boundary type. Finally, section 5 summarizes the discussion and outlines future work.

2 The Cache Model of Attentional State

A cache is an easily accessible temporary location used for storing information that is currently being used by a computational procedure [Stone, 1987]. The fundamental idea of the cache model is that the functioning of the cache when processing discourse is analogous to that of a cache when executing a program on a computer. Just as discourses may be structured into goals and subgoals which contribute to achieving the purpose of the discourse, a computer program is hierarchically structured into routines and subroutines which contribute to completing the routine. Thus a cache can be used to model attentional state when intentions are hierarchically

²The cache model is an extension of the AWM model in [Walker, 1993a; Walker, 1994; Jordan and Walker, 1996].

structured, just as a cache can be used for processing the references and operations of a hierarchically structured program.

In the cache model there are two types of memory: MAIN MEMORY represents long-term memory and the CACHE represents working memory [Baddeley, 1986]. Main memory is much larger than the cache, but is slower to access [Hintzman, 1988; Gillund and Schiffrin, 1984]. The cache is a limited capacity, almost instantaneously accessible, memory store. The size of the cache is a working assumption based on the findings of previous work [Kintsch, 1988; Miller, 1956; Alshawi, 1987]:

CACHE SIZE ASSUMPTION: The cache is limited to 2 or 3 sentences, or approximately 7 propositions.

Given a particular cache size assumption, the definition of linear recency, discussed briefly above, can be made more precise, by setting the number of linearly adjacent utterances to be equal to the cache size parameter.

An utterance U_i is linearly recent for utterance U_j when it occurred within the past three linearly adjacent utterances.

There are three operations involving the cache and main memory. Items in the cache can be preferentially RETAINED and items in main memory can be RETRIEVED to the cache. Items in the cache can also be STORED to main memory. When new items are retrieved from main memory to the cache, or enter the cache directly due to events in the world, other items may be displaced to main memory, because the cache has limited capacity.

The determination of which items to displace is handled by a CACHE REPLACEMENT POLICY. In the cache model, the cache replacement policy is a working assumption, based on previous work on the effects of distance on anaphoric processing [Clark and Sengul, 1979; Hobbs, 1976; Hankamer and Sag, 1976] *inter alia*:

CACHE REPLACEMENT POLICY ASSUMPTION: The least recently accessed items in the cache are displaced to main memory, with the exception of those items preferentially retained.

The cache model includes specific assumptions about processing. Discourse processes execute on elements that are in the cache. All of the premises for an inference must be simultaneously in the cache for the inference to be made [McKoon and Ratcliff, 1992; Goldman, 1986]. If a discourse relation is to be inferred between two separate segments, a representation of both segments must be simultaneously in the cache [Fletcher *et al.*, 1990; Walker, 1993a]. The cospecifier of an anaphor must be in the cache for automatic interpretation or be strategically retrieved to the cache in order to interpret the anaphor [Tyler and Marslen-Wilson, 1982; Greene *et al.*, 1992]. Thus what is contained in the cache at any one time is a WORKING SET consisting of discourse entities such as entities, properties and relations that

are currently being used for some process.

In the cache model, centers are a subset of entities in the cache, and the contents of the cache change incrementally as discourse is processed utterance by utterance, so by default centers are carried over from one segment to another. The cache model is easily integrated with the centering rules and constraints by simply assuming that the Cf list for an utterance is a subset of the entities in the cache, and that the centering rules and constraints apply as usual, with the ordering of the Cf list providing an additional finer level of salience ordering for entities within the cache.

The cache model maintains Grosz and Sidner's distinction between intentional structure and attentional state. This distinction is critical. However the cache model does not posit that attentional state is isomorphic to intentional structure. For example, when a new intention is recognized that is subordinate to the current intention, new entities may be created in the cache or be retrieved to the cache from main memory [Ratcliff and McKoon, 1988], however old entities currently in the cache will remain until they are displaced. Thus centers from the previous intention are carried over by default until they are displaced. When a new intention that is subordinate to a prior intention is recognized, entities related to the prior intention must be retrieved to the cache, unless they were not displaced by the intervening discourse. In other words, the cache model casts attentional state in discourse processing as a **gradient** phenomenon, and predicts a looser coupling of intentional structure and attentional state. A change of intention affects what is in the cache, but the contents of the cache change incrementally, instead of changing instantaneously with one stack operation as they do with in stack model.

The cache model provides a natural explanation for the difference in the coherence between dialogue B and dialogue C. The CACHE SIZE ASSUMPTION in the cache model predicts that processing the longer interruption in C uses all of the cache capacity; thus returning to the prior discussion requires a retrieval from main memory. The success of this retrieval depends on two requirements: (1) the speaker must provide an adequate retrieval cue; and (2) the required information must have been stored in main memory. In the case of dialogue C, either requirement (1) or (2) may not be satisfied.

The differences between the two models are summarized below:

- New intention subordinate to current intention:
 - Stack: Push new focus space
 - Cache: New entities retrieved to cache related to new intention, old entities remain until displaced
- Completion of intention agreed by conversants explicitly or implicitly
 - Stack: Pop focus space for intention from stack, entities in focus space are no longer accessible

- Cache: Don't retain entities for completed intention, but they remain accessible by virtue of being in the cache until they are displaced
- New intentions subordinate to prior intention
 - Stack: Pop focus spaces for intervening segments, focus space for prior intention accessible after pop
 - Cache: Entities related to prior intention must be retrieved from main memory to cache, unless retained in the cache
- Returning from interruption
 - Stack: Length and depth of interruption and the processing required is irrelevant
 - Cache: Length of interruption or the processing required predicts retrievals from main memory
- Centering
 - Stack: No clear relationship between the focus stack mechanism and centering [Grosz and Sidner, 1985]; (Grosz and Sidner, this volume)
 - Cache: Centers are a subset of the elements in the cache and centering provides a finer level of salience ordering for entities in the cache.

In the next section, I describe how the centering algorithm is integrated with the cache model.

3 Integrating the Centering Algorithm with the Cache Model

Brennan, Friedman and Pollard (1987) proposed a centering algorithm for the resolution of third person anaphors, based on the centering rules and constraints, whose top level structure is shown in Figure 2. This section presents a version of that algorithm that is integrated with the cache model by assuming that the Cf list is a subset of entities available in the cache. The revised algorithm also incorporates observations from a corpus analysis of centering [Walker, 1989], experimental processing results [Nicol and Swinney, 1989; Greene *et al.*, 1992; Brennan, 1995; Hudson-D'Zmura, 1988; Gordon *et al.*, 1993], and proposals in Brennan *et al.* of simple ways to make the algorithm more efficient. This section extends and integrates work previously presented in [Brennan *et al.*, 1987; Walker, 1989; Walker *et al.*, 1990; Walker *et al.*, 1994; Walker, 1996].

The centering algorithm starts with a set of reference markers for each utterance. Reference markers are generated for each referring expression in an utterance and are specified for agreement, grammatical function, and selectional restrictions; the values for these attributes arise from the verb's subcategorization frame [Pollard and Sag, 1988; Reinhart, 1976; Di Eugenio, 1990; Walker *et al.*, 1994; Di Eugenio, 1997; Passonneau, 1995].⁴ Reference markers are also specified for conraindices,

⁴Neither predicative noun phrases e.g. *a beauty* in *Justine was a beauty*, nor pleonastic

CENTERING ALGORITHM

1. CONSTRUCT THE PROPOSED ANCHORS for U_n
 2. INTERLEAVE CREATION AND FILTERING OF PROPOSED ANCHORS
 3. UPDATE CONTEXT
-

Figure 2: Top Level Structure of the Centering Algorithm (Brennan, Friedman and Pollard, 1987)

which are pointers to other reference markers that a marker cannot co-specify with [Reinhart, 1976; Pollard and Sag, 1988];⁵ these are calculated during parsing. Each pronominal reference marker has a unique index from A_1, \dots, A_n which will be linked to the semantic representation of the co-specifier. For non-pronominal reference markers the surface string is used as the index. Indices for indefinites are generated from X_1, \dots, X_n .

The first step of the centering algorithm is given in Figure 3; substep 4 of Figure 3 specifies how centering is integrated with the cache model. At the end of Step 1, the algorithm returns a set of potential Cbs and Cfs. The second step of the algorithm is given in Figure 4. Figure 4 specifies how potential anchors (Cb-Cf combinations) are created, in the order of preference according to centering transitions. These anchors are then filtered further by Constraint 3 and Rule1 of the centering rules and constraints (Cf. Walker, Joshi and Prince, this volume). The first anchor to pass all the filters is used to update the context (Step 3 of the algorithm).

The difference between the algorithm above and that in [Brennan *et al.*, 1987] is the point at which the different filters are applied, the definition of where the algorithm stops, and the integration with the cache model.⁶ In [Brennan *et al.*, 1987], all potential anchors were generated and then filtered. Here fewer anchors are generated even in the worst case since some filters apply to potential Cf lists before the anchors are generated. In particular, filtering by conraindices is included earlier both for efficiency and because there is experimental evidence that this constraint is applied very early [Nicol and Swinney, 1989]. In addition, since the anchors are generated in preference order and then filtered, many fewer anchors are

NPs such as *it* in *It was raining* count as referring expressions.

⁵See [Sidner, 1983] for definition and discussion of co-specification.

⁶Filter 2 could be implemented as a preference strategy rather than a strict filter, and the violation of this rule could generate an implicature [Gundel *et al.*, 1993], or possibly function as a new segment indicator [Fox, 1987; Passonneau and Litman, 1996]. See [Nakatani, 1993; Walker and Prince, In Press; Cahn, 1995] for a discussion of the difference between accented and unaccented NPs in this role.

CONSTRUCT THE PROPOSED ANCHORS for U_n

1. Create set of referring expressions (REs). REs represent discourse entities in the representation of the discourse model. If there is a conjoined NP, make one RE whose extension is both entities.³
 2. Order REs by the Cf ranking for the language. Cf rankings are typically derived from a combination of syntactic, semantic and discourse features associated with entities evoked by the utterances in a discourse.
 3. Create set of possible forward center (Cf) lists. Expand each element of (b) according to whether it is a pronoun, a description, or a proper name. These expansions are a way of encoding a disjunction of possibilities.
 - (a) Expand pronouns into set with entry for each RE in the $Cf(U_{n-1})$ that is consistent with:
 - (1) its agreement features;
 - (2) the selectional constraints projected by the verb;
 - (3) the conraindexing constraints of other elements in the current Cf list being expanded.If pronouns cannot be expanded by unification with entities in $Cf(U_{n-1})$, then goto 4.
 - (b) Descriptions are not expanded, rather they are represented by their intension and an index. Goto 5.
 - (c) Expand proper nouns into a set with an entry for each discourse entity it could realize. Goto 5.
 4. First, attempt to expand pronouns by unification with entities in the cache. If this returns null, reinstantiate the contents of the cache by using the pronominal features and the content of the utterance as retrieval cues for retrieving matching discourse entities from main memory. Then goto 5.
 5. Create list of possible backward centers (Cbs). This is the REs from step 3 or 4 plus an additional entry of NIL to allow the possibility that the current utterance has no Cb.
-

Figure 3: First Step of the Centering Algorithm

typically generated. For example in Dialogue D, a constructed monologue used by [Brennan *et al.*, 1987] to illustrate the centering algorithm, only three anchors are generated where the original algorithm generated sixteen.

- (D)
- a. Susan drives an Alfa Romeo.
 - b. She drives too fast.
 - c. Lyn races her on weekends.

INTERLEAVE CREATION AND FILTERING OF PROPOSED ANCHORS

1. Create the proposed anchors, the Cb-Cf combinations from the cross-product of the previous two steps, in order of preferred interpretations. Apply filters to each created anchor in order of preference.
 - (a) Create CONTINUE anchors. Go to 2.
 - (b) Create RETAIN anchors. Go to 2.
 - (c) Create SMOOTH SHIFT anchors. Go to 2.
 - (d) Create ROUGH SHIFT anchors. Go to 2.
 - (e) Create NULL CB anchors. Go to 2.
2. For each anchor in the current list of anchors apply the following filters derived from the centering constraints and rules. The first anchor that passes each filter is used to update the context. If more than one anchor at the same ranking passes all the filters, then the algorithm predicts that the utterance is ambiguous.
 - (a) FILTER 1: Go through $Cf(U_{n-1})$ keeping (in order) those which appear in the proposed Cf list of the anchor. If the proposed Cb of the anchor does not equal the first element of this constructed list then eliminate this anchor. This guarantees that the Cb will be the highest ranked element of the $Cf(U_{n-1})$ realized in the current utterance. This corresponds to constraint 3.
 - (b) FILTER 2: If none of the entities realized as pronouns in the proposed Cf list equals the proposed Cb then eliminate this anchor. If there are no pronouns in the proposed Cf list then the anchor passes this filter. This corresponds to Rule 1 by guaranteeing that if any element is realized as a pronoun then the Cb is realized as a pronoun.
 - (c) If the anchor doesn't pass the filters then goto 1 and try the anchors for the next lower ranked transition type. Otherwise goto Step 3, UPDATE CONTEXT.

Figure 4: Second Step of the Centering Algorithm

UPDATE CONTEXT

If one of the anchors passes all the filters then choose that anchor for the current utterance. Set $Cb(U_n)$ to the proposed Cb and $Cf(U_n)$ to proposed Cf of this anchor. This will be the most highly ranked anchor.

Figure 5: Third Step of the Centering Algorithm

- d. She often beats her.

Finally, the algorithm allows pronouns to be resolved to entities in the cache whenever pronouns cannot be unified with centers from the previous utterance.

4 Evidence for the proposed integrated model

Remember that centering was formulated as a process that operates on two utterance U_n and U_{n+1} , *within a discourse segment D* , which attempts to explain the relationship between the form of referring expressions and underlying discourse processes. While Grosz and Sidner, (this volume) suggest that discourse segmentation affects the accessibility of centers, the hypothesis considered here is that the within-segment constraint should be abandoned. Furthermore, in the proposed integrated model, the cache contents, rather than discourse segment structure, determines the accessibility of centers.

To support the proposed integrated model, this section presents three types of evidence. Section 4.1 presents evidence that the cache model can handle ‘focus pops’, which were believed to provide strong support for Grosz and Sidner’s stack model. Then section 4.2 discuss quantitative evidence showing that centers are frequently carried over segment boundaries. Finally section 4.3 discuss a number of naturally occurring examples that illustrate that the form in which centers are realized across discourse segment boundaries is not determined by boundary type.

4.1 Modeling Focus Pops with The Cache Model

Sometimes in a discourse, the conversants return to the discussion of a prior topic or continue an intention suspended in prior discourse. This kind of return has given rise to a phenomenon called RETURN POPS or FOCUS POPS, in reference to the stack mechanism which pops intervening focus spaces [Polanyi and Scha, 1984; Reichman, 1985; Grosz and Sidner, 1986]. The phenomenon that characterizes RETURN POPS is the occurrence of a pronoun in an utterance, where the antecedent for the pronoun is in the focus space representing the prior discourse, that is hierarchically recent. Thus it is commonly believed that this provides strong motivation for the role of hierarchical recency, and thus for Grosz and Sidner’s stack model.

In the stack model, any of the focus spaces on the stack can be returned to, and the antecedent for a pronoun can be in any of these focus spaces. As a potential alternative to the stack model, the cache model appears to be unable to handle return pops since a previous state of the cache can’t be popped to. Since return pops are a primary motivation for the stack model, I re-examine all of the naturally-occurring return pops that I was able to find in the literature [Grosz, 1977; Sidner, 1979; Reichman, 1985; Fox, 1987; Passonneau and Litman, 1996].⁷ There are 21 of them. I argue that return pops are **cued retrieval from main memory**, that the cues

⁷Fox provides some quantitative data on return pops with and without pronouns, that show that return pops with pronouns in written texts are virtually nonexistent [Fox, 1987].

reflect the context of the pop, that the cues are used to reinstantiate the relevant cache contents, and thus, that return pops are not problematic for the cache model.

As an example of a return pop, consider dialogue E [Passonneau and Litman, 1996](figure 9):

- (E) 21.1 Three boys came out,
21.2 helped him_i pick himself up,
21.3 pick up his_i bike,
21.4 pick up the pears,
21.5 one of them had a toy,
21.6 which was like a clapper.
22.1 And I don't know what you call it except a paddle with a ball suspended
on a string.
23.1 So you could hear him_j playing with that.
24.1 And then he_i rode off.

In dialogue E, the sequence from 21.5 to 23.1 is an embedded segment. According to the cache model, the cache is not automatically reset to contain the information from the interrupted segment after the final utterance of an embedded segment. Thus either that information must be retained because there is an expectation that it will be returned to, or at some point after utterance 23.1, perhaps as a result of processing 24.1, the hearer must retrieve the necessary information from main memory to the cache in order to reinstantiate it in the cache and interpret the pronoun in 24.1.

In the cache model, there are at least three possibilities for how the context is created so that pronouns in RETURN POPS can be interpreted: (1) The pronoun alone functions as a retrieval cue [Greene *et al.*, 1992]; or (2) The content of the first utterance in a return indicates what information to retrieve from mainmemory to the cache, which implies that the interpretation of the pronoun is delayed; (3) The shared knowledge of the conversants creates expectations that determines what is in the cache, e.g. shared knowledge of the task structure. I leave this last possibility aside for now.

Let us consider the first possibility. The view that pronouns must be able to function as retrieval cues is contrary to the classic view that pronouns indicate entities that are currently salient, i.e. in the hearer's consciousness [Chafe, 1976; Gundel *et al.*, 1993; Prince, 1981]. However, there are certain cases where a pronoun alone is a good retrieval cue, such as when only one referent of a particular gender has been discussed in the conversation. With COMPETING ANTECEDENT defined as one that matches the gender and number of the pronoun [Fox, 1987], Figure 6 shows the distribution of the 21 return pops found in the literature according to whether competing antecedents for the pronoun are elements of the discourse model.

While it would be premature to draw final conclusions from such a small sample size, the numbers suggest that in about half the cases we could expect the pronoun

Competing Referent	No Competing Referent
11	10

Figure 6: Number of Pops with Potentially Ambiguous Pronouns

to function as an adequate retrieval cue based on gender and number cues alone. In fact, Sidner proposed that return pops might always have this property with her STACKED FOCUS CONSTRAINT: *Since anaphors may co-specify the focus or a potential focus, an anaphor which is intended to co-specify a stacked focus must not be acceptable as co-specifying either the focus or potential focus. If, for example, the focus is a noun phrase which can be mentioned with an it anaphor, then it cannot be used to co-specify with a stacked focus.* [Sidner, 1979], p. 88,89.

However, since representations (reference markers) for centers in the centering algorithm include selections restrictions from the verb's subcategorization frame, we might reasonably define COMPETING ANTECEDENT to reflect the fact that the center's representation includes selectional restrictions [Di Eugenio, 1990; Levin, 1993]; Di Eugenio (this volume).⁸ Furthermore, we expect that these selectional restrictions are used as retrieval cues.

Of the eleven tokens with competing referents in figure 6, five tokens have no competing referent if selectional restrictions are also applied. For example, in the dialogues about the construction of a pump from [Deutsch, 1974], only some entities can be bolted, loosened, or made to work. Furthermore, if a selectional constraint can arise from the dialogue, then only 4 pronouns of the 21 return pops have competing referents. For example, the verb *ride* in dialogue E eliminates other antecedents because only one of the male discourse entities under discussion has, and has been riding, a bike [Passonneau and Litman, 1996].⁹ Thus in 17 cases, an adequate retrieval cue is constructed from processing the pronoun and the matrix verb [Di Eugenio, 1990].

The second hypothesis is that the content of the return utterance indicates what information to retrieve from main memory to the cache. The occurrence of INFORMATIONALLY REDUNDANT UTTERANCES (IRUs) is one way of doing this [Walker, 1993a; Walker, 1996]. For example, in dialogue F [Passonneau and Litman, 1996], utterances 4 to 8 constitute a separate segment, and utterance 9, which is the beginning of a return pop, is also an IRU, realizing the same propositional content as utterance 3.

- (F) (1) a-nd his bicycle hits a rock.
(2) Because *he_i*'s looking at the girl.

⁸In fact in languages with zero pronouns like Japanese, all the information is contained in the verb subcategorization frame [Iida, 1992; Walker *et al.*, 1994].

⁹Fox proposes that lexical repetition is used as a signal of where to pop to [Fox, 1987], pps. 31,54.

- (3) *ZERO-PRONOUN_i* falls over,
- (4) uh there's no conversation in this movie.
- (5) There's sounds,
- (6) you know,
- (7) like the birds and stuff,
- (8) but there.. the humans beings in it don't say anything.
- (9) *He_i* falls over,
- (10) and then these three other little kids about his same age come walking by.

IRUs at the locus of a return can: (1) reinstantiate required information in the cache so that no retrieval is necessary; (2) function as excellent retrieval cues for information from main memory. Figure 7 shows the distribution of IRUs in the 21 return pops found in the literature. The fact that IRUs occur in 6 cases shows that IRUs are often used to recreate the relevant context. IRUs in combination with selectional restrictions leave only 2 cases of pronouns in return pops with competing antecedents.

with IRU	without IRU
6	15

Figure 7: Number of Pops with Pronouns with and without IRUs

In the remaining 2 cases, the competing antecedent is not and was never prominent in the discourse, i.e. it was never the discourse center [Iida, 1997]. This lack of prominence suggests that it may never compete with the other cospecifier.

Thus, while more evidence is needed, it is plausible that the cache model can handle this well-known phenomenon, by positing that a return pop is a **cued retrieval from main memory** and that return pops never occur without an adequate retrieval cue for reinstating the required entities, properties and relations in the cache.

4.2 Distribution of Centering Transitions in Segment Initial Utterances

	Continue	Retain	Smooth-Shift	No Cb
Segment initial <i>now</i> sentences	2	20	38	38
Other Sentences	43	9	27	21

Figure 8: Distribution of Centering Transitions in 98 discourse-segment initial *Now* sentences as compared with a control group of Other sentences from (Hurewitz, 1995)

One way to see whether discourse segment structures have a direct effect on centering data structures is by examining differences in the centering transitions across discourse segment boundaries, which indicates whether centers are carried over utterance pairs that span discourse segment boundaries. The cache model predicts that centers are carried over segment boundaries by default because they are elements of the cache, but that the recognition of a new intention may have an effect on centering because it may result in a retrieval of new information to the cache. It also predicts that the degree to which centers are carried over or retained depends directly on whether they continue to be used in the new segment (because the cache replacement policy is to replace the least recently accessed (used) discourse entities). This means that discourse segmentation should have a gradient effect on centering.

Figure 8 shows centering transitions in 98 segment initial utterances [Walker, 1993b], where discourse segment boundaries were identified by the use of the cue word *now* [Hirschberg and Litman, 1987].¹⁰ *Now* indicates a new segment that is a further development of a topic, and indicates a push in the stack model [Grosz and Sidner, 1986; Reichman, 1985; Hirschberg and Litman, 1993]. To my understanding this means that discourse segments that are initiated with utterances marked by the cue word *now* are either sister segments or subordinated segments.

The figure shows that centering transitions distribute differently for this type of segment initial utterance than they do for utterances in general.¹¹ A similar distributional difference in centering transitions is reported in [Passonneau, 1995]. The No Cb cases in Figure 8 indicate that there are some new segments where centers are **not** carried over, but note that even within a discourse segment, centers may not be carried over from one utterance to the next. In addition, in about two thirds of the segment initial utterances, centers **are** carried over discourse segment boundaries, so that there is a gradient effect of discourse segment boundaries on centering.

These distributional facts demonstrate the need for a model of global focus that is integrated with centering, and provides support for the proposed cache model since centers are clearly carried over segment boundaries, and since there is a gradient effect of segmentation on centering transitions.

¹⁰See Walker, Joshi and Prince (this volume) for the definition of the centering transitions of CONTINUE, RETAIN, SMOOTH-SHIFT, ROUGH-SHIFT and NO CB. In the data here, no rough-shift transitions were found.

¹¹I have taken the liberty of converting Hurewitz's percentages to raw numbers based on a sample of 100 tokens.

4.3 Discourse Configurations and Centering Data Structures

This section presents data showing that discourse segment structure does not determine the accessibility of centers. It is well known that accessibility of discourse entities is reflected by linguistic form [Gundel *et al.*, 1993; Prince, 1981; Prince, 1992; Brennan, 1995]. Furthermore, psychological studies of centering have shown that a processing penalty is associated with realizing the Cb by a full noun phrase (Hudson, this volume), [Gordon *et al.*, 1993]. Thus below the realization of the Cb (linguistic form) is used as an indicator of whether discourse segmentation has a direct effect on accessibility.




Figure 9: Two abstract hierarchical discourse structures. The first has two discourse segments A and B where B is embedded within A, and the second has three segments C, D, E where D and E are sister segments contributing to the purpose of segment C. Utterances are represented as A1, A2 etc.

In order to show that discourse segment structure doesn't determine accessibility, we must examine the linguistic form of centers across all potential discourse segment structure configurations. This means we must define all potential discourse structure configurations. Figure 9 illustrates different discourse structures in Grosz and Sidner's theory and shows how segments consist of groupings of utterances which can be embedded within one another. These discourse structure configurations vary in terms of whether two utterances can be considered to be linearly recent or hierarchically recent.

In Figure 9, utterance A1 is both linearly and hierarchically recent for A2. Since the utterances before and after segment B are both part of segment A, utterance A2 is hierarchically recent when A3 is interpreted, although it is not linearly recent. Utterance B3 is linearly recent when A3 is interpreted, but not hierarchically recent. Similarly B3 is not hierarchically recent for A4. In the second discourse, C1 is hierarchically recent for both D1 and E1, but only linearly recent for D1. Utterance D3 is linearly recent for E1, but not hierarchically recent.

Linear recency approximates what is in the cache because if something has been

recently discussed, it was recently in the cache, and thus is more likely to still be in the cache than other items. Linear recency ignores the effects of preferentially retaining items in the cache, and retrieving items from main memory to the cache. However linear recency is more reliable as a coding category since it only relies on what is indicated in surface structures in the discourse.

Center realization over U_{n-1}, U_n	Sister intention Over D3,E1	Subordinate intention Over C1,D1	Focus Pop Hierarchical, Over A2,A3 over C1, E1	Focus Pop Linear, Over B3,A3
Cb = PRONOUN	Type 1	Type 3	Type 5	Type 7
Cb = FULL NP	Type 2	Type 4	Type 6	Type 8

Figure 10: Centering and Discourse Segmentation Possibilities

Given these terms, Figure 10 enumerates all the relevant discourse structure configurations. The columns of Figure 10 are the types of discourse segment boundaries that two utterances U_{n-1} and U_n can span in terms of intentional structure and linear and hierarchical recency. The rows enumerate differences in linguistic form that are known to indicate center accessibility, i.e. whether the $Cb(U_{n-1})$ is realized in U_n as a pronoun or as a Full NP. The combination of these two dimensions defines eight discourse situations.

Types 1 and 2 are utterance pairs that are linearly recent but not hierarchically recent because a related sister segment, e.g. segment D, has already been popped off the stack. Types 3 and 4 are utterance pairs that are both linearly and hierarchically recent. Types 5 and 6 are utterance pairs where U_{n-1} is hierarchically recent but not linearly recent. Types 7 and 8 are utterance pairs where U_{n-1} is linearly recent but not hierarchically recent, because an unrelated interrupting segment has been popped off the stack.

To test the hypothesis that segment structure does not determine accessibility, we must examine naturally occurring text or dialogue excerpts that exemplify each configuration. See Appendix A for a specification of criteria used to identify relevant examples. The remaining sections each discuss two of the discourse types from Figure 10 using excerpts from the Harry Gross corpus [Pollack *et al.*, 1982; Walker, 1993a], the SwitchBoard Corpus from the LDC, Phil Cohen’s corpus of telephone-based dialogues between an expert and an apprentice who must put together a plastic water pump [Cohen, 1984], and excerpts from the Pear Stories Corpus from [Passonneau and Litman, 1993; Passonneau and Litman, 1996]. Centers are indicated by italics and discourse segment structures are marked by horizontal lines in the transcripts of the discourse.¹²

¹²There may be additional segment structure beyond what is indicated.

4.3.1 Type 1 and 2: Sister intention

Seg _i	U _j	
6	28	And you think “Wow, this little boy’s _i probably going to come and see the pears, 29a and he _i ’s going to take a pear or two, 29b and then go on <i>his_i</i> way.”
7	30	um but <i>the little boy_i</i> comes, (CONTINUE)
	31	and uh he _i doesn’t want just a pear,
	32	<i>he_i</i> wants a whole basket.
8	33	So <i>he_i</i> puts the bicycle down, (CONTINUE)
	34	and he _i .. you wonder how he _i ’s going to take it with this.

Figure 11: Excerpt from (Passonneau and Litman, 1994) illustrating Type 1 and Type 2. Each line indicates an empirically verified discourse segment.

A sister intention discourse configuration is shown in Figure 9 for segments D and E; E is a sister to D. The Pear Stories narrative in Figure 11 from [Passonneau and Litman, 1996] illustrates two sister intention discourse segments,¹³ with the segment boundaries marked between utterances 29 and 30 and between utterances 32 and 33.¹⁴

Consider the segment boundary spanned by utterance 29b and utterance 30. In segment 7, utterance 30, the full noun phrase *the little boy* realizes the Cb of utterance 30 [Passonneau, 1995]. The discourse entity for *the little boy* is also the Cb of utterance 29b and the Cp of utterance 30, so the centering transition is a CONTINUE. Thus, this is an example of Type 2 in Figure 10: the Cb(U_{n-1}) is realized as a full NP across a segment boundary for two sister segments.

Now, consider the relation between utterance 32 and utterance 33 spanning the second segment boundary. Utterance 33 is also segment initial, and the discourse entity for *the little boy* is the Cb, but in this case this entity is cospecified by the referring expression *he*. Here, as in utterance 30, the discourse entity for *the little boy* is the Cb of the previous utterance, utterance 32, and the Cp of the current utterance, utterance 33, defining a CONTINUE transition. Thus, this is an example of Type 1 in Figure 10: the Cb of 32 is realized as a pronoun across a segment boundary.

Clearly, both Type 1 and Type 2 **can** occur and the Cb of an utterance can be

¹³Based on assumption 4 (Appendix A), segment 7 is a sister of segment 6 and segment 8 is a sister of segment 7.

¹⁴These boundaries are those marked by a significant number of naive subjects in Passonneau and Litman’s experiments.

continued by means of a pronoun in the initial utterance of a sister segment. Because a pronoun can be used in this configuration, there is little motivation for introducing an additional mechanism besides centering to explain the accessibility of the center over sister segment boundaries. The use of the pronoun here can be explained quite naturally by assuming that centering operates over sister segment utterances, represented abstractly in Figure 9 by D3 and E1.

4.3.2 Type 3 and 4: New subordinated intention

Seg _i	U _j	Speaker _k	
N	(32)	H:	If you'd like a copy of that little article just send me a note. I only have one copy. I'd be glad to send <i>it</i> to you.
N+1	(33)	C:	Where did <i>it</i> appear? (CONTINUE)
	(34)	H:	it- I - to tell you the truth
	(35)	C:	It wasn't in the newsp-
	(36)	H:	I don't remember where, what publication it was. It was not a generally public thing like a newspaper...

Figure 12: Excerpt from the Financial Advice Corpus illustrating Type 3. The discourse segmentation is based on assumptions about the structure of clarifications [Litman, 1985].

A new subordinated intention defines a new discourse segment embedded within the immediately preceding segment, as segment D is embedded within segment C in Figure 9. Figure 12 consists of an excerpt from the financial advice dialogue corpus [Pollack *et al.*, 1982], showing one segment boundary. This segment boundary is based on the assumption that a clarifying question initiates a new discourse segment [Litman, 1985]. Utterance 33 is a segment initial utterance that refers to the Cb of utterance 32 with the referring expression *it*.¹⁵ Since this is the only center on the Cf, it is also the Cb, resulting in a CONTINUE centering transition. Thus, Figure 6 is an example of Type 3: utterance 33 shows that a Cb can be continued with a pronoun across a segment boundary where the second segment is embedded within the first.

Figure 13 is an excerpt from Cohen's corpus of task-related dialogues about the construction of a toy water pump [Cohen, 1984], with one segment boundary indicated. Here, the segment boundary is based on the assumption that a new

¹⁵Modulo the assumption that the article and a copy of the article are being treated as coreferential.

Seg _{<i>i</i>}	U _{<i>j</i>}	Speaker _{<i>k</i>}
N	1	Expert: Now take the blue cap with the two prongs sticking out
	2	Expert: and fit the little piece of pink plastic on <i>it</i> . Ok?
	3	Apprentice: Ok.
N+1	4	Expert: Insert the rubber ring into <i>that blue cap</i> . (RETAIN)

Figure 13: Excerpt from Pump Dialogue Corpus (Cohen, 1984) illustrating Type 4. The discourse segmentation is based on the task structure (Grosz, 1977;Sibun,1991).

subtask initiates a subordinated segment [Grosz, 1977].¹⁶ This is an example of Type 4 because the Cb of utterance 3 is cospecified by a deictic NP, *that blue cap*, in utterance 4. In this case, the previous Cb is not predicted to be the Cb of the following utterance since the centering transition is a RETAIN, and this may be one factor involved in the choice of a deictic NP for the referring expression.

Clearly both Type 3 and Type 4 **can** occur, These types realize utterance pairs that are both linearly and hierarchically recent, and show that the Cb of the initial utterance of a subordinated segment can be expressed with either a full NP or a pronoun. Thus, it is plausible that centering operates over segment boundaries for subordinated segments, represented abstractly by the relation between C1 and D1 in Figure 9.

4.3.3 Type 5 and 6: Focus Pop with Hierarchical Recency

In section 4.1 we discussed focus pops, and argued that focus pops could be modeled with the cache model. Here we are interested in determining whether the relevant structures for centering are determined by hierarchical recency or by linear recency of adjacent utterances. Thus, when a focus pop occurs there are two logical choices for selecting U_{*n-1*} for the purposes of centering, one choice defined by linear recency and the other defined by hierarchical recency. Types 5 and 6 select U_{*n-1*} by hierarchical recency. In Figure 9, the relevant examples of hierarchically recent utterances defined by focus pops let A2 be U_{*n-1*} for A3 and let C1 be U_{*n-1*} for E1.

Figure 14 is from the Pear Stories corpus, with discourse segment boundaries marked by human judges [Passonneau and Litman, 1996]. This is a naturally occurring exemplar of the first discourse in Figure 9; segment 15 is an interruption and segment 16 is a continuation of segment 14. This analysis is also supported by: (1) the obvious change in content and lexical selection [Morris and Hirst, 1991; Hearst, 1994]; and (2) the fact that utterance 9 is an INFORMATIONALLY REDUNDANT UTTERANCE, IRU,

¹⁶In this part of the dialogue, the goal is to put the blue cap and its subcomponents onto the main pump body. The rubber ring is a subcomponent of the blue cap. Thus putting the rubber ring into the blue cap is a subgoal of adding the blue cap to the main pump body.

Seg _i	U _j	
14	1	a-nd his bicycle hits a rock.
	2	Because <i>he_i</i> 's looking at the girl.
	3	<i>ZERO-PRONOUN_i</i> falls over,
15	4	uh there's no conversation in this movie.
	5	There's sounds,
	6	you know,
	7	like the birds and stuff,
	8	but there.. the humans beings in it don't say anything.
16	9	<i>He_i</i> falls over,
	10	and then these three other little kids about his same age come walking by.

Figure 14: An excerpt from the Pear Corpus illustrating Type 5. Segment boundaries from human judgements taken from Passonneau and Litman, 1994

which re-realizes the content of utterance 3, and reintroduces its content in the current context [Walker, 1993a; Walker, 1996]. Thus, using hierarchical recency to determine U_{n-1} for the purposes of centering, U_n is utterance 9 at the beginning of segment 16 and U_{n-1} is utterance 3 at the end of segment 14. Then, Figure 14 is an example of Type 5 because a pronoun is used in utterance 9 to realize the Cb of utterance 3, despite the intervening segment 15.

Figure 15 is an excerpt from the Switchboard corpus in which the topic of the discussion was *Family Life*. The discourse segment boundaries shown here were identified on the basis of the claim that the cue word *anyway* marks a focus stack pop to an earlier segment [Polanyi and Scha, 1984; Grosz and Sidner, 1986; Reichman, 1985]. Utterance 5 in segment 3 starts with the cue word *anyway* and returns to the discussion of which sports the speaker's oldest son likes, after a brief digression about the speaker's little girl. Figure 15 is an example of Type 6 because this focus pop realizes the Cb of utterance 3 with a full NP, *my oldest son*. Note that no other male entity has been introduced into the conversation, so on the basis of informational adequacy alone, the pronoun *he* would have sufficed [Passonneau, 1996].

Types 5 and 6 are utterance pairs where U_{n-1} is hierarchically recent, but not linearly recent. The existence of Types 5 and 6 shows that the Cb of an utterance in a prior discourse segment (A2) can be referred to by either a pronoun or a full NP in the initial utterance of a return (A3). Since both Type 5 and Type 6 **can** occur, it would seem that popping alone does not make strong predictions about the realization of the Cb.

Seg _i	U _j	Speaker _k
1	1	A: What are some of the things that you do with them?
	2	B: Well, my oldest son is eleven, and <i>he</i> is really into sports.
	3	
2	4	And my little girl just started sports.
3	5	Anyway, <i>my oldest son</i> , he plays baseball right now, and he's a pitcher on his team, and he's doing really well.
	6	
	7	

Figure 15: An excerpt from the Switchboard corpus illustrating Type 6. The topic of discussion was Family Life., Segment boundaries based on the cue word *anyway*

4.3.4 Type 7 and 8: Focus Pop with Linear Recency

In section 4.3.3, we examined focus pops where U_{n-1} for the purposes of centering was defined by hierarchical recency. In Types 7 and 8, utterance U_{n-1} for the purpose of centering is defined by linear recency, where U_{n-1} belongs to a segment that is popped off the stack before, or at the time that, U_n is processed. The linearly recent utterance is analogous to letting B3 be U_{n-1} for A3 in Figure 9.

The segment structures for both Figures 16 and 17, illustrating Types 7 and 8, are defined on the basis that the cue word *anyway* marks a pop to a previous discourse segment, as posited by [Reichman, 1985; Grosz and Sidner, 1986]. Thus in Figure 16, utterance 33b begins a new segment and in Figure 17, utterance 7 begins a new segment. However, in order to examine the effect of hierarchical recency, the beginning of the intervening segment that is to be popped must be identified. In Figure 16, utterance 27a in segment 2 is assumed to be hierarchically recent for utterance 33b in segment 4 based on the IRU *when X came into power* in utterance 33b [Walker, 1993a]. In Figure 17, the tense change from past to past imperfect between utterances 3a and 3b is used to identify a discourse segment boundary [Webber, 1988b], so that segment 3 is hierarchically adjacent to segment 1.

Figure 16 shows a conversation from the SwitchBoard corpus in which two subjects are discussing the topic *Latin America*, as seen in A's conversational opener in utterance 1. The segment boundary of interest is that between utterance 33a and 33b. Segment 3, from utterances 27c to 33a, is about trying to remember the name of the leader of the Contras, and establishes centers for both the Contra leader and for the discourse entity representing his name. Establishing his name is a minimal part of the story that speaker A is trying to tell. Segment 4 continues the Cb of the Contra leader, and continues the story begun in utterance 27a, as shown by the paraphrase of *When the contras came into power with (the Contra leader)*. Clearly segment 4 continues the intention initiated in utterance 27b. Thus the focus space

Seg _{<i>i</i>}	U _{<i>j</i>}	Speaker _{<i>k</i>}
1	1	A: Well, what do you know about Latin American policies?
	2	B: Well, I think they're kind of ambivalent, really..... (23 intervening utterances about US support etc)
	25a	A: Yep, that's about the lump sum of it.
2	25b	Well, um, I was speaking with a, a woman from, I believe she was from the Honduras or Guatemala, or somewhere in there,
	25c	No, she was from El Salvador –
	26	B: Yeah.
	27a	A: – and, uh, she was from a relatively wealthy family,
	27b	and when, uh, the Contras came into power, of course with, uh,
3	27c	oh, gosh darn, what's his face, he's in, in Florida jail now, Marcos –
	28	B: Yeah, yeah.
	29	A: – uh, no, he's, Marcos is Philippines,
	30	B: Yeah, um, well, I'm blank [laughter] on it.
	31	A: Well, you know who I'm talking about.
	32	B: I can see <i>his</i> face (()) forget his name [laughter].
	33a	A: Yeah, I, I know it, uh,
4	33b	Anyway, when <i>he</i> came into power, he basically just took everybody's property, you know, just assigned it to himself.
	34	B: Yeah, kind of nationalized it –

Figure 16: An excerpt from the Switchboard corpus illustrating Type 7. The topic of discussion was Latin America. Segment boundaries are identified based on the cue word *anyway*, INFORMATIONALLY REDUNDANT UTTERANCES, and tense changes from simple past to present.

stack for segment 3 should be popped from the stack by the use of the cue word *anyway*. However, the use of the pronoun *he* to refer to the Contra leader in 33b would not be supported by the focus space for segment 2 that would be on the top of the stack after the pop, since segment 3 actually established this discourse entity as a center.

Figure 17 is also an excerpt from the Switchboard corpus. In this case, the topic of the discussion was *home decorating*. In utterance 7, speaker A marks a focus pop with the cue word *anyway*. But what intention is segment 3 related to? I identified utterance 3a as the last utterance of the hierarchically adjacent segment because the past imperfect tense is used in utterance 3b when the simple past was used for utterance 3a [Webber, 1988a]. In addition, it is plausible that on semantic grounds

segment 2 provides background for segment 3 [Hobbs, 1985], and thus that the intention of segment 2 must be realized before that of segment 3.¹⁷ Then, this is an example of Type 8 because the phrase *that color* in utterance 7 refers to the Cb of utterance 5 from segment 2, when the focus space for segment 2 should be popped off the stack.

Seg _i	U _j	Speaker _k
1	1	A: Well, I was just looking around my house and thinking about the painting that I've done.
	2	B: Uh-huh.
	3a	A: And the last time that, um, we tackled it, I did the kitchen.
2	3b	And I had gone through a period of depression at one time and painted everything a dark, it was called a sassafras, it was kind of an orangish brown.
	4	B: Okay.
	5	A: <i>It</i> was not real pretty.
	6	B: Yeah.
3	7	A: Anyway, so the kitchen was one of the rooms that got hit with <i>that color</i> .
	8	B: Uh-huh, I see.
	9	A: [Laughter] So I tried to cover it with white....

Figure 17: An excerpt from the Switchboard Corpus illustrating Type 8. The discussion topic was home decorating. Segment boundaries identified by the use of the cue word *anyway* and tense changes.

Types 7 and 8 are utterance pairs where U_{n-1} is linearly recent but not hierarchically recent, because the interrupting segment has been popped off the stack. The existence of Types 7 and 8 illustrate that the Cb of an utterance in a 'popped' segment (B3) can be referred to by either a pronoun or a full NP in the initial utterance of a new 'pushed' segment (A3). Since both Type 7 and Type 8 **can** occur, there seems to be no basis for assuming that the centering data structures are directly affected by popping to a prior focus space on the stack. The occurrence of Type 7 is strong support for the cache model since there is clearly a change of intention between utterances 33a and 33b, but centers as part of attentional state are carried over and realized with pronominal forms that clearly indicate their accessibility.

¹⁷Thus it may satisfaction-precede it in the terminology of [Grosz and Sidner, 1986].

5 Discussion

Centering is formulated as *a theory that relates focus of attention, choice of referring expression, and perceived coherence of utterances, within a discourse segment* [Grosz *et al.*, 1995], p. 204. In this chapter I argue that the within-segment restriction of centering must be abandoned in order to integrate centering with a model of global discourse structure. I have discussed several problems that this restriction causes. The first problem is that centers are often continued over discourse segment boundaries with pronominal referring expressions whose form is identical to those that occur within a discourse segment. The second problem is that recent work has shown that listeners perceive segment boundaries at various levels of granularity and that segment boundaries are often fuzzy. If centering models a universal processing phenomenon, it seems implausible that each listener's centering algorithm differs according to whether they perceived a segment boundary or not, especially as there is evidence that centering is a fairly automatic process (Hudson-D'Zmura and Tanenhaus, this volume). The third issue is that even for utterances within a discourse segment, there are strong contrasts between utterances that are adjacent within a segment because they are hierarchically recent and utterances that are adjacent within a segment and also linearly recent.

This chapter argues that an integrated model of centering and global focus can be defined that eliminates these problems by replacing Grosz and Sidner's stack model of attentional state, with an alternate model, the cache model [Walker, 1996; Walker, 1993a]. In the cache model, centering applies to discourse entities in the cache, and the contents of the cache can be affected by the recognition of intention. However centers are carried over segment boundaries by default, and are only displaced from the cache when they are not being accessed. When a digression requires the use of all the cache, a return requires a retrieval from main memory to reinstantiate relevant discourse entities in the cache. Since this retrieval has some processing costs, the cache model predicts a role for linear recency which is not predicted by the stack model. The proposed model integrates centering with discourse structure defined by relations between speaker intentions.

To provide support for the proposed integrated model, I first show, in Section 3, how the centering algorithm is easily integrated with the cache model. Then, in sections 4.1, 4.2 and 4.3, I provide three types of data that support the integrated model. First, I show that 'focus pops' can be handled by the cache model by positing that they correspond to cued retrieval from main memory. I show how features of the utterance in which the focus pop occurs provide information that functions as an adequate retrieval cue from main memory.

Second, I examine the distribution of centering transitions in 98 segment initial utterances. I show that that centering transitions distribute differently in segment initial utterances, and in particular that CONTINUE transitions are less frequent.

However it is clear that centers are carried over segment boundaries, as the cache model would predict.

Third, section 4.3 examines every type of discourse structure configuration in order to explore the relationship between centering and hierarchical intentional structure. The data suggests that intentional structure does not define a rule that directly predicts whether a discourse entity will be realized as a full NP or as a pronoun across a segment boundary. Figure 16 shows that even segments that have been popped from the stack can provide a center across a discourse segment boundary.

These findings provide support for the proposed cache model. Since centers are in the cache, they are carried over segment boundaries by default. In contrast, in the stack model, the focus space where the center was established has been popped off the stack. The cache model predicts a statistical correlation between intentional structure and changes in intentional state, which would arise because a change of intention can trigger a retrieval of information to the cache, as in the case of ‘focus pops’. But in order for hearers to retrieve the correct information to the cache, either automatically or strategically, the utterance must provide an adequate retrieval cue [Ratcliff and McKoon, 1988; McKoon and Ratcliff, 1992].

The cache model is also consistent with results of other work, and with psychological models of human working memory [Baddeley, 1986]. For example Davis and Hirschberg proposed that rules for synthesizing directions in text-to-speech must treat popped entities as accessible and de-accent them [Davis and Hirschberg, 1988]. Huang proposed that rules for the form of referring expressions in argumentative texts must treat the conclusions of popped sisters as salient [Huang, 1994]. Walker argued that the cache model explains the occurrence of INFORMATIONALLY REDUNDANT UTTERANCES, IRUs, such as utterance 9 in Figure 14, as a way of providing an adequate retrieval cue for reinstating relevant information in the cache [Walker, 1996].

However a number of open issues remain. First, while previous work has shown that a processing penalty is associated with the use of a full NP to continue the current Cb [Hudson-D’Zmura, 1988; Gordon *et al.*, 1993]; (Hudson-D’Zmura and Tanenhaus, this volume), a full NP is used to continue the Cb in the examples of Types 2 and 6 (Figures 5 and 9).¹⁸ Why does this occur?

One possibility is that the use of the Full NP is one of a number of potentially redundant cues that the speaker has available for signalling intentional structure, so that the choice of a Full NP or a pronoun is not determined by the current attentional state [Fox, 1987; Yeh, 1995; Passonneau, 1996].

A second possibility is the Full NP is used to signal the rhetorical relation of contrast [Fox, 1987; Mann and Thompson, 1987; Hobbs, 1985]. This would explain the use

¹⁸In the other cases a full NP is used in a RETAIN transition.

of a Full NP for both Type 2 (Figure 5) and Type 6 (Figure 9), and unify these two cases with observations by [Fox, 1987] and by Di Eugenio (this volume). In Figure 5, a contrastive relation between utterances 29 and 30 is indicated by *but*. These segments contrast with one another by presenting alternate possible worlds of what **might** have happened with what **did** happen. In Figure 9, the NP *my oldest son* is an example of Left-Dislocation [Prince, 1985], i.e. the discourse entity realized as *my oldest son* is realized in an initial phrase, and then again by the pronoun *he* in subject position. One function of Left-Dislocation is to mark an entity as already evoked in the discourse or in a salient set relation to something evoked, and contrast is inferred from the marking of a salient set relation [Prince, 1986]. Note that if contrast is determining the use of the full NP, we expect overspecified NPs to occur just as frequently within discourse segments as in segment initial utterances.

Finally, future work should investigate what constitutes an adequate retrieval cue for focus pops and how a speaker's choices about the forms of referring expressions interacts with other retrieval cues, such as propositional information. In order to do this, it would be useful to have a large corpus of data tagged for intentional structure.

A larger tagged corpus would also allow us to go beyond the study here, which simply showed that intentional structures do not appear to define a rule that determines the accessibility of centers. More data on the **frequency** with which various forms of referring expressions are chosen in different situations would be useful. [Walker and Whittaker, 1990] showed that in mixed-initiative dialogues, pronominal forms were more likely to cross discourse segment boundaries when one speaker interrupted the other than when transitions between segments were negotiated between the conversants. [Passonneau, 1995] discusses the frequency with which Full NPs are used to realize entities currently salient in the discourse. In [Walker, 1993b], the frequency of various forms of referring expressions was calculated for the segment boundaries discussed in section 4.2. (Brennan, this volume), shows that speakers are about twice as likely to use a full NP rather than a pronoun if an utterance intervenes between the pronoun and its antecedent in the discourse, and that pronouns and full NPs are equally likely in the same situation when there is no intervening utterance. More data of this type would be useful in defining algorithms for the generation of referring expressions, and for determining additional factors involved in the referring expression choice.

In conclusion, this chapter presents a model that integrates centering with hierarchical discourse structures defined by speaker intention. The important features of the proposed integrated model are that it: (1) explains the differences in felicity between Dialogues B and C; (2) predicts that centers are carried over discourse segment boundaries by default; (3) predicts a gradient effect of discourse segment structure on centering as we see in Figure 8; (4) predicts that granularity of intention-based segmentation has no effect on centering; (5) predicts an increase in processing load for pronouns in focus pops; and (6) is consistent with psychological models of human sentence and discourse processing.

6 Acknowledgements

This research was partially funded by ARO grant DAAL03-89-C0031PRI and DARPA grant N00014-90-J-1863 at the University of Pennsylvania and by Hewlett Packard, U.K.

I'd like to thank Steve Whittaker, Aravind Joshi, Ellen Prince, Mark Liberman, Karen Sparck Jones, Bonnie Webber, Scott Weinstein, Susan Brennan, Janet Cahn, Mitch Marcus, Cindie McLemore, Owen Rambow, Barbara Di Eugenio, Candy Sidner, Ellen Germain, Megan Moser, Christine Nakatani, Becky Passonneau, Pam Jordan, Jennifer Arnold and several anonymous reviewers for extended discussion of the issues in this paper.

References

- [Alshawi, 1987] Hiyan Alshawi. *Memory and context for language interpretation*. Cambridge University Press, 1987.
- [Baddeley, 1986] Alan Baddeley. *Working Memory*. Oxford University Press, 1986.
- [Birner, 1997] Betty Birner. Recency effects in english inversion. In *Centering in Discourse*. Oxford University Press, 1997.
- [Brennan, 1995] Susan E. Brennan. Centering attention in discourse. *Language and Cognitive processes*, 10(2):137–167, 1995.
- [Brennan et al., 1987] Susan E. Brennan, Marilyn Walker Friedman, and Carl J. Pollard. A centering approach to pronouns. In *Proc. 25th Annual Meeting of the ACL, Stanford*, pages 155–162, 1987.
- [Cahn, 1995] Janet Cahn. The effect of intonation on pronoun referent resolution. In *ACL95*, pages 290–292, 1995.
- [Chafe, 1976] Wallace L. Chafe. Givenness, contrastiveness, definiteness, subjects, topics and points of view. In Charles N. Li, editor, *Subject and Topic*, pages 27–55. Academic Press, 1976.
- [Chafe, 1980] Wallace L. Chafe. *The Pear Stories: Cognitive, Cultural and Linguistic Aspects of Narrative Production*. Ablex, Norwood N.J., 1980.
- [Clark and Sengul, 1979] Herbert H. Clark and C.J. Sengul. In search of referents for nouns and pronouns. *Memory and Cognition*, 7:35–41, 1979.
- [Cohen, 1984] Phillip R. Cohen. The pragmatics of referring and the modality of communication. *Computational Linguistics*, 10:97–146, 1984.
- [Davis and Hirschberg, 1988] James R. Davis and Julia Hirschberg. Assigning intonational features in synthesized spoken directions. In *ACL88*, pages pp. 187–193, 1988.
- [Deutsch, 1974] Barbara Grosz Deutsch. Typescripts of task oriented dialogs, August 1974.

- [Di Eugenio, 1990] Barbara Di Eugenio. Centering theory and the italian pronominal system. In *COLING90: Proc. 13th International Conference on Computational Linguistics, Helsinki*, pages 270–275, 1990.
- [Di Eugenio, 1997] Barbara Di Eugenio. Centering theory and the italian pronominal system. In *Centering in Discourse*. Oxford University Press, 1997.
- [Flammia and Zue, 1995] Giovanni Flammia and Victor Zue. Empirical results of dialogue coding. In *4th European Conference on Speech Technology and Communication, EUROSPEECH 95*, pages 1905–1968, 1995.
- [Fletcher *et al.*, 1990] Charles R. Fletcher, John E. Hummel, and Chad J. Marsolek. Causality and the allocation of attention during comprehension. *Journal of Experimental Psychology*, 16(2):233–140, 1990.
- [Fox, 1987] Barbara A. Fox. *Discourse Structure and Anaphora: Written and Conversational English*. Cambridge University Press, 1987.
- [Gillund and Schiffrin, 1984] G. Gillund and R. M. Schiffrin. A retrieval model for both recognition and recall. *Psychological Review*, 91:1–67, 1984.
- [Goldman, 1986] Alvin I. Goldman. *Epistemology and Cognition*. Harvard University Press, 1986.
- [Gordon *et al.*, 1993] Peter C. Gordon, Barbara J. Grosz, and Laura A. Gilliom. Pronouns, names and the centering of attention in discourse. *Cognitive Science*, 17(3):311–348, 1993.
- [Greene *et al.*, 1992] S.B. Greene, Gail McKoon, and R. Ratcliff. Pronoun resolution and discourse models. *Journal of Experimental Psychology: Learning, Memory and Cognition*, 18(2):266–283, 1992.
- [Grosz, 1977] Barbara J. Grosz. The representation and use of focus in dialogue understanding. Technical Report 151, SRI International, 333 Ravenswood Ave, Menlo Park, Ca. 94025, 1977.
- [Grosz and Hirschberg, 1992] Barbara J. Grosz and Julia B. Hirschberg. Some intonational characteristics of discourse structure. In *ICSLP*, 1992.
- [Grosz *et al.*, 1995] Barbara J. Grosz, Aravind K. Joshi, and Scott Weinstein. Towards a computational theory of discourse interpretation. *Computational Linguistics*, 1995.
- [Grosz and Sidner, 1985] Barbara J. Grosz and Candace L. Sidner. The structure of discourse structure. Technical Report CSLI-85-39, Center for the Study of Language and Information, Stanford, CA, 1985.
- [Grosz and Sidner, 1986] Barbara J. Grosz and Candace L. Sidner. Attentions, intentions and the structure of discourse. *Computational Linguistics*, 12:175–204, 1986.
- [Gundel *et al.*, 1993] Jeanette Gundel, Nancy Hedberg, and Ron Zacharski. Cognitive status and the form of referring expressions in discourse. *Language*, 69(2):274–307, 1993.
- [Hankamer and Sag, 1976] Jorge Hankamer and Ivan Sag. Deep and surface anaphora. *Linguistic Inquiry*, 7:391–428, 1976.
- [Hearst, 1994] Marti Hearst. Text tiling: A quantitative approach to discourse segmentation. In *Proceedings of the 32nd Annual Meeting of the Association for Computational Linguistics, ACL94*, pages 9–16, 1994.

- [Hintzman, 1988] D. Hintzman. Judgements of frequency and recognition memory in a multiple-trace memory model. *Psychological Review*, 95:528–551, 1988.
- [Hirschberg and Litman, 1987] Julia Hirschberg and Diane Litman. Now lets talk about now: Identifying cue phrases intonationally. In *Proc. 25th Annual Meeting of the ACL, Stanford*, pages 163–171, Stanford University, Stanford, Ca., 1987.
- [Hirschberg and Litman, 1993] Julia Hirschberg and Diane Litman. Empirical studies on the disambiguation of cue phrases. *Computational Linguistics*, 19(3):501–530, 1993.
- [Hirschberg and Nakatani, 1996] Julia Hirschberg and Christine Nakatani. A prosodic analysis of discourse segments in direction-giving monologues. In *34th Annual Meeting of the Association for Computational Linguistics*, pages 286–293, 1996.
- [Hobbs, 1976] Jerry R. Hobbs. Pronoun resolution. Technical Report 76-1, Department of Computer Science, City College, City University of New York, 1976.
- [Hobbs, 1985] Jerry R. Hobbs. On the coherence and structure of discourse. Technical Report CSLI-85-37, Center for the Study of Language and Information, Ventura Hall, Stanford University, Stanford, CA 94305, 1985.
- [Huang, 1994] Xiorong Huang. Planning references choices for argumentative texts. In *The 7th International Conference on Natural Language Generation*, pages 145–152, 1994.
- [Hudson-D’Zmura, 1988] Susan B. Hudson-D’Zmura. *The Structure of Discourse and Anaphor Resolution: The discourse Center and the Roles of Nouns and Pronouns*. PhD thesis, University of Rochester, 1988.
- [Iida, 1992] Masayo Iida. *Context and Binding in Japanese*. PhD thesis, Stanford University, Linguistics Department, 1992.
- [Iida, 1997] Masayo Iida. Discourse coherence and shifting centers in japanese texts. In Marilyn A. Walker, Aravind K. Joshi, and Ellen F. Prince, editors, *Centering in Discourse*. Oxford University Press, 1997.
- [Isard and Carletta, 1995] Amy Isard and Jean C. Carletta. Replicability of transaction and action coding in the map task corpus. In Marilyn Walker and Johanna Moore, editors, *AAAI Spring Symposium: Empirical Methods in Discourse Interpretation and Generation*, pages 60–67, 1995.
- [Jordan and Walker, 1996] Pamela Jordan and Marilyn A. Walker. Deciding to remind during collaborative problem solving: Empirical evidence for agent strategies. In *14th Conference of the American Association of Artificial Intelligence, AAAI*, pages 16–24, 1996.
- [Kameyama, 1988] Megumi Kameyama. Japanese zero pronominal binding, where syntax and discourse meet. In William Poser, editor, *Papers from the Second International Workshop on Japanese Syntax*, pages 47–74. Stanford: CSLI, 1988. also available as University of Pennsylvania Tech Report MS-CIS-86-60.
- [Kintsch, 1988] W. Kintsch. The role of knowledge in discourse comprehension: A construction-integration model. *Psychological Review*, 95:163–182, 1988.
- [Lambert and Carberry, 1991] Lynn Lambert and Sandra Carberry. A tripartite plan-based model of dialogue. In *Proceedings of the 29th Annual Meeting of the*

- Association for Computational Linguistics*, pages 47–54, 1991.
- [Levin, 1993] Beth Levin. *English verb classes and alternations : a preliminary investigation*. University of Chicago Press, 1993.
- [Litman, 1985] Diane Litman. Plan recognition and discourse analysis: An integrated approach for understanding dialogues. Technical Report 170, University of Rochester, 1985.
- [Litman, 1994] Diane Litman. Classifying cue phrases in text and speech using machine learning. In *Proceedings, Twelfth National Conference on Artificial Intelligence*, pages 215–223, 1994.
- [Mann and Thompson, 1987] W.C. Mann and S.A. Thompson. Rhetorical structure theory: Description and construction of text structures. In Gerard Kempen, editor, *Natural Language Generation*, pages 83–96. Martinus Nijhoff, 1987.
- [McKoon and Ratcliff, 1992] Gail McKoon and Roger Ratcliff. Inference during reading. *Psychological Review*, 99(3):440–466, 1992.
- [Miller, 1956] G. A. Miller. The magical number seven, plus or minus two: Some limits on our capacity for processing information. *Psychological Review*, 3:81–97, 1956.
- [Morris and Hirst, 1991] Morris and G. Hirst. Lexical cohesion computed by thesaural relations as an indicator of the structure of text. *Computational Linguistics*, 17(1):21–48, 1991.
- [Moser and Moore, 1995] Margaret G. Moser and Johanna Moore. Investigating cue selection and placement in tutorial discourse. In *ACL 95*, pages 130–137, 1995.
- [Nakatani, 1993] Christine H. Nakatani. Accenting on pronouns in spontaneous narrative. In *ESCA Workshop on Prosody*, 1993.
- [Nicol and Swinney, 1989] J. Nicol and D. Swinney. The role of structure in coreference assignment during sentence comprehension. *Journal of Psycholinguistic Research*, 1989.
- [Passonneau, 1994] Rebecca J. Passonneau. Protocol for coding discourse referential noun phrases and their antecedents. Technical report, Columbia University, 1994.
- [Passonneau, 1995] Rebecca J. Passonneau. Integrating gricean and attentional constraints. In *IJCAI 95*, 1995.
- [Passonneau, 1996] Rebecca J. Passonneau. Using centering to relax gricean informational constraints on discourse anaphoric noun phrases. *Language and Speech*, 32(2,3):229–264, 1996.
- [Passonneau and Litman, 1993] Rebecca J. Passonneau and Diane Litman. Intention-based segmentation. In *Proceedings of the 31st Meeting of the Association for Computational Linguistics*, pages 148–155, 1993.
- [Passonneau and Litman, 1996] Rebecca J. Passonneau and Diane Litman. Empirical analysis of three dimensions of spoken discourse: Segmentation, coherence and linguistic devices. In Donia Scott and Eduard Hovy, editors, *Computational and Conversational Discourse: Burning Issues - An Interdisciplinary Account*, pages 161–194. Springer-Verlag, Heidelberg, Germany, 1996.
- [Polanyi, 1987] Livia Polanyi. The linguistic discourse model: Towards a formal

- theory of discourse structure. Technical Report 6409, Bolt Beranek and Newman, Inc., Cambridge, Mass., 1987.
- [Polanyi and Scha, 1984] Livia Polanyi and Remko Scha. A syntactic approach to discourse semantics. In *Tenth International Conference on Computational Linguistics, COLING84*, pages 413–419, 1984.
- [Pollack *et al.*, 1982] Martha Pollack, Julia Hirschberg, and Bonnie Webber. User participation in the reasoning process of expert systems. In *Proceedings First National Conference on Artificial Intelligence*, pages pp. 358–361, 1982.
- [Pollard and Sag, 1988] Carl J. Pollard and Ivan A. Sag. *Information-Based Syntax and Semantics*. CSLI Lecture Notes: Chicago University Press, Chicago, Illinois, 1988.
- [Prince, 1981] Ellen F. Prince. Toward a taxonomy of given-new information. In *Radical Pragmatics*, pages 223–255. Academic Press, 1981.
- [Prince, 1985] Ellen F. Prince. Fancy syntax and shared knowledge. *Journal of Pragmatics*, 9(1):65–81, 1985.
- [Prince, 1986] Ellen F. Prince. On the syntactic marking of the presupposed open proposition. *Proceedings of the 22nd Annual Meeting of the Chicago Linguistic Society*, pages 208–222, 1986.
- [Prince, 1992] Ellen F. Prince. The ZPG letter: Subjects, definiteness and information status. In S. Thompson and W. Mann, editors, *Discourse description: diverse analyses of a fund raising text*, pages 295–325. John Benjamins B.V., Philadelphia/Amsterdam, 1992.
- [Ratcliff and McKoon, 1988] Roger Ratcliff and Gail McKoon. A retrieval theory of priming in memory. *Psychological Review*, 95(3):385–408, 1988.
- [Reichman, 1985] Rachel Reichman. *Getting Computers to Talk Like You and Me*. MIT Press, Cambridge, MA, 1985.
- [Reinhart, 1976] Tanya Reinhart. *The Syntactic Domain of Anaphora*. PhD thesis, MIT, Cambridge Mass., 1976.
- [Sibun, 1991] P. Sibun. *The Local Organisation and Incremental Generation of Text*. PhD thesis, University of Massachusetts, 1991.
- [Sidner, 1983] Candace Sidner. What the speaker means: the recognition of speakers plans in discourse. *International Journal of Computers and Mathematics*, 9:71–82, 1983.
- [Sidner, 1985] Candace Sidner. Plan parsing for intended response recognition in discourse. *Computational Intelligence*, 1, 1985.
- [Sidner, 1979] Candace L. Sidner. Toward a computational theory of definite anaphora comprehension in English. Technical Report AI-TR-537, MIT, 1979.
- [Sidner, 1983] Candace L. Sidner. Focusing in the comprehension of definite anaphora. In M. Brady and R.C. Berwick, editors, *Computational Models of Discourse*. MIT Press, 1983.
- [Stone, 1987] Harold S. Stone. *High Performance Computer Architecture*. Addison Wesley, 1987.
- [Suri and McCoy, 1994] Linda Z. Suri and Kathleen F. McCoy. RAFT/RAPR and Centering: A comparison and discussion of problems related to processing complex sentences. *Computational Linguistics*, 20(2):301–317, 1994.

- [Tyler and Marslen-Wilson, 1982] Lorrain K. Tyler and William Marslen-Wilson. Resolution of discourse anaphora. *Text*, 2, 1982.
- [Walker, 1989] Marilyn A. Walker. Evaluating discourse processing algorithms. In *Proc. 27th Annual Meeting of the Association of Computational Linguistics*, pages 251–261, 1989.
- [Walker, 1993a] Marilyn A. Walker. *Informational Redundancy and Resource Bounds in Dialogue*. PhD thesis, University of Pennsylvania, 1993.
- [Walker, 1993b] Marilyn A. Walker. Initial contexts and shifting centers. In *Institute for Research in Cognitive Science Workshop on Centering Theory in Naturally-Occurring Discourse*, 1993.
- [Walker, 1994] Marilyn A. Walker. Rejection by implicature. In *Proceedings of the 20th Meeting of the Berkeley Linguistics Society*, 1994.
- [Walker, 1996] Marilyn A. Walker. Limited attention and discourse structure. *Computational Linguistics*, 22-2:255–264, 1996.
- [Walker et al., 1990] Marilyn A. Walker, Masayo Iida, and Sharon Cote. Centering in Japanese discourse. In *COLING90: Proc. 13th International Conference on Computational Linguistics, Helsinki*, pages 1–8, 1990.
- [Walker et al., 1994] Marilyn A. Walker, Masayo Iida, and Sharon Cote. Japanese discourse and the process of centering. *Computational Linguistics*, 20-2:193–232, 1994.
- [Walker and Prince, In Press] Marilyn A. Walker and Ellen F. Prince. A bilateral approach to givenness: a hearer-status algorithm and a centering algorithm. In Thorstein Fretheim and Jeanette Gundel, editors, *Reference and Referent Accessibility*. John Benjamins, In Press.
- [Walker and Whittaker, 1990] Marilyn A. Walker and Steve Whittaker. Mixed initiative in dialogue: An investigation into discourse segmentation. In *Proc. 28th Annual Meeting of the ACL*, pages 70–79, 1990.
- [Webber, 1988a] Bonnie Lynn Webber. Discourse deixis: Reference to discourse segments. In *Proc. 26th Annual Meeting of the ACL, Association of Computational Linguistics*, pages 113–123, 1988.
- [Webber, 1988b] Bonnie Lynn Webber. Tense as discourse anaphor. *Computational Linguistics*, 14(2):61–73, 1988.
- [Whittaker and Stenton, 1988] Steve Whittaker and Phil Stenton. Cues and control in expert client dialogues. In *Proc. 26th Annual Meeting of the ACL, Association of Computational Linguistics*, pages 123–130, 1988.
- [Yeh, 1995] Ching-Long Yeh. *Generation of Anaphors in Chinese*. PhD thesis, Edinburgh University, 1995.

7 Appendix A

In order to identify relevant examples in corpora of naturally occurring discourses, the first difficulty is determining the discourse segment structure of naturally occur-

ring texts and dialogues. This involves two separate issues:

1. An algorithm is needed to divide running speech into utterance units that are relevant to determining centering transitions such as CONTINUE.
2. These utterances must then be grouped into segment structures that correspond to speaker intentions.

To address the first issue, as a working assumption, I adopt a simple algorithm for dividing discourses into utterances, loosely based on Hobbs' algorithm [Hobbs, 1976]:

1. An utterance is a clause with a finite verb.
2. Each coordinated clause in a complex sentence defines an utterance. The order of the utterances in the discourse follows the order of the production of the conjuncts.
3. The previous utterance for subordinated clauses is the superordinate clause.
4. The Cf for a complex sentence with subordinated clauses is the Cf for the main clause, with the Cfs of the subordinates appended.
5. An utterance following a complex sentence with subordinated clauses takes the centering data structures from the main clause of the complex sentence as its input.
6. Prompts such as *yeah*, *okay*, *uh huh* in dialogue (implicitly) realize the centers from the previous utterance.

This is consistent with findings from corpus-based work reported in [Walker, 1989; Kameyama, 1988; Suri and McCoy, 1994]. See [Hobbs, 1976; Suri and McCoy, 1994; Passonneau, 1994] (Kameyama, this volume) for further discussion.

The second issue is producing a segmentation on the basis of speaker intention or similar semantic categories. Determining reliable ways to segment discourse is an active area of research [Whittaker and Stenton, 1988; Walker and Whittaker, 1990; Grosz and Hirschberg, 1992; Passonneau and Litman, 1993; Hearst, 1994; Moser and Moore, 1995; Isard and Carletta, 1995; Flammia and Zue, 1995]. However, in order to identify examples that match the configurations, we do not need a **complete** segmentation of a discourse. Rather, what is required is a method for identifying segment initial utterances that stand in a particular configuration to utterances in prior segments. Here, six criteria were used:

1. The use of cue words such as *now* and *anyway* are treated as reliable indicators of the initiation of a discourse segment. Following the theories of [Grosz and Sidner, 1986; Reichman, 1985; Hirschberg and Litman, 1993] and empirical results in [Litman, 1994], both *now* and *anyway* indicate a new segment. *Now* indicates a new segment that is a further development of a topic, and indicates a push in the stack model. *Anyway* is a cue to a return to a prior discussion, and indicates a pop in the stack model.

2. If the initiation of a segment D1 is indicated by the use of *anyway*, tense changes and the occurrence of INFORMATIONALLY REDUNDANT UTTERANCES (IRUs) are treated as indications of which prior segment is related to the newly initiated segment (where to pop to in the stack model) [Webber, 1988a; Walker, 1993a];
3. Clarification questions are treated as initiators of new subordinated discourse segments, following [Sidner, 1983; Sidner, 1985; Litman, 1985; Walker and Whittaker, 1990; Lambert and Carberry, 1991];
4. Discourse segments marked by human judges on the Pear Stories¹⁹, are taken from experiments reported in [Passonneau and Litman, 1993; Passonneau and Litman, 1996; Passonneau, 1995].
5. All discourse segments in the Pear Stories are assumed to be sister segments on the basis that these narrations relate a temporal **sequence** of events, and that if event A temporally precedes event B, then the intention of segment A must be realized before the intention of segment B [Polanyi, 1987; Webber, 1988a; Sibun, 1991]. These event sequence segments are dominated by the single intention of ‘telling the story’.
6. In Cohen’s pump construction dialogues, if there is a goal and subgoal relationship between the content of the segments and the structure of the task [Grosz, 1977; Sibun, 1991], then the subgoal segment is assumed to be embedded within the goal segment.

This set of segment identification criteria is the basis for the identification of naturally occurring discourses that fit in each of the cells in Figure 10.

¹⁹This corpus consists of narrations of a movie by a subject who had seen the movie to another subject who had not seen the movie [Chafe, 1980]